ELSEVIER

Physica C 275 (1997) 353–355

PHYSICA C

Author Index to Volume 275

Abe, K., see Kuroda, K., **275**, 311
Adachi, S., see Wu, X.-J., **275**, 179
Aksenov, V.L., A.M. Balagurov, B.N. Savenko, D.V. Sheptyakov, V.P. Glazkov, V.A. Somenkov, S.S. Shilshtein, E.V. Antipov and S.N. Putilin, Investigation of the $HgBa_2CuO_{4+\delta}$ structure under external pressures up to 5 GPa by neutron powder diffraction, **275**, 87
Aldinger, F., see Müller, C., **275**, 337
Aldinger, F., see Majewski, P., **275**, 47
Antipov, E.V., see Aksenov, V.L., **275**, 87
Aubin, M., see Ghamlouch, H., **275**, 141

Balagurov, A.M., see Aksenov, V.L., **275**, 87
Barbut, J.M., see Porcar, L., **275**, 293
Barrault, M., see Porcar, L., **275**, 293
Beduz, C., see Hughes, T., **275**, 19
Bente, K., see Böttger, G., **275**, 198
Berthier, Y., see Grévin, B., **275**, 238
Bertinotti, A., see Marucco, J.-F., **275**, 12
Bhasale, R., see Horvat, J., **275**, 327
Bhatnagar, A.K., see Srinivas, S., **275**, 346
Bisaro, R., see García López, J., **275**, 65
Blanchin, M.G., see García López, J., **275**, 65
Böttger, G., H. Schwer, E. Kaldis and K. Bente, Ca doping of $YBa_2Cu_3O_{7-\delta}$ single crystals: structural aspects, **275**, 198
Bourgault, D., see Porcar, L., **275**, 293
Bredehöft, M., see Li, S., **275**, 259
Budai, J.D., see He, Q., **275**, 155
Budai, J.D., see Paranthaman, M., **275**, 266
Buhl, D., see Lang, Th., **275**, 284

Chen, B.-H., see Wang, Y., **275**, 52
Chen, J.L., see Wei, J.C., **275**, 135
Christen, D.K., see He, Q., **275**, 155
Christen, D.K., see Paranthaman, M., **275**, 266
Coccorese, C., see Kushnir, V.N., **275**, 211
Colson, D., see Marucco, J.-F., **275**, 12

Díaz-Guerra, C. and J. Piqueras, Cathodoluminescence microscopy and spectroscopy of superconducting $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals, **275**, 37
Dou, S.X., see Horvat, J., **275**, 327
Dou, S.X., see Li, S., **275**, 259

Er, G., S. Kikkawa, M. Takahashi and F. Kanamaru, Studies on local structure of infinite-layered $(Sr_{1-y}Ca_y)_{1-x}La_xCuO_2$ $(0 \le x \le 0.12,\ 0 \le y \le 0.20)$ superconductor, **275**, 110
Erb, A., see Junod, A., **275**, 245

Forget, A., see Marucco, J.-F., **275**, 12
Friedman, A., see Yossefov, P., **275**, 299

Gagnon, R., see Ghamlouch, H., **275**, 141
Gao, W., see Li, S., **275**, 259
García López, J., J. Siejka, L.M. Mercandalli, R. Bisaro, M.G. Blanchin and V. Teodorescu, Formation of $YBa_2Cu_3O_7$ tetragonal phase by rapid cooling of thin films grown by cathodic sputtering, **275**, 65
Gauckler, L.J., see Lang, Th., **275**, 284
Genoud, J.-Y., see Junod, A., **275**, 245
Gerber, A., A. Milner, A. Voronel, A. Rubstein, Yu. Rosenberg and M.P. Macht, Superconductivity in the metallic amorphous alloy $Zr_{41.2}Ti_{13.8}Cu_{12.5}Ni_{10}Be_{22.5}$, **275**, 333
Germi, P., see Porcar, L., **275**, 293
Ghamlouch, H., M. Aubin, R. Gagnon and L. Taillefer, Vortex movements parallel and perpendicular to twin boundaries seen through the Nernst and Seebeck effects of $YBa_2Cu_3O_{7-\delta}$, **275**, 141
Glazkov, V.P., see Aksenov, V.L., **275**, 87
Gonnelli, R.S., G.A. Ummarino and V.A. Stepanov, Determination of the tunneling electron–phonon spectral function in high-T_c superconductors with energy dependence of the normal density of states, **275**, 162
Goyal, A., see He, Q., **275**, 155
Goyal, A., see Paranthaman, M., **275**, 266
Grader, G.S., see Meerovich, V., **275**, 119
Grader, G.S., see Yossefov, P., **275**, 299
Grévin, B., Y. Berthier, F. Pourtier, J.C. Villégier and U. Schmatz, NQR: a non-destructive method for studying oxygen content and defects in $YBa_2Cu_3O_{6+x}$ superconducting thin films, **275**, 238
Guo, Y.C., see Horvat, J., **275**, 327

Haugerud, H., G. Uimin and W. Selke, From microscopic description to statistical mechanics of Cu–O chain fragments in high-T_c superconductors $REBa_2Cu_3O_{6+x}$, **275**, 93
He, Q., D.K. Christen, J.D. Budai, E.D. Specht, D.F. Lee, A. Goyal, D.P. Norton, M. Paranthaman, F.A. List and D.M. Kroeger, Deposition of biaxially-oriented metal and oxide

buffer-layer films on textured Ni tapes: new substrates for high-current, high-temperature superconductors, **275**, 155
He, Q., see Paranthaman, M., **275**, 266
Hinds, B.J., see Zhang, X.F., **275**, 146
Holmann, E.K., see Meerovich, V., **275**, 119
Horvat, J., W.G. Wang, R. Bhasale, Y.C. Guo, H.K. Liu and S.X. Dou, Critical currents in Ag/Bi-2223 superconducting tapes: grain connectivity and flux pinning, **275**, 327
Hu, Q.Y., see Li, S., **275**, 259
Hughes, T., A.E. Mahdi, Y. Yang and C. Beduz, Comparative thermometric and electric measurements of the self-field AC losses in Ag-sheathed PbBi2223 tapes, **275**, 19

Ivanov, V., K. Yakushi and E. Ugolkova, Electronic structure of κ-ET_2X salts, where "ET" is bis(ethylenedithio)tetrathiafulvalene (BEDT-TTF) molecule, **275**, 26

Jayavel, R., see Thamizhavel, A., **275**, 279
Junod, A., M. Roulin, J.-Y. Genoud, B. Revaz, A. Erb and E. Walker, Specific heat peaks observed up to 16 T on the melting line of the vortex lattice in $YBa_2Cu_3O_7$, **275**, 245

Kaesche, S., see Majewski, P., **275**, 47
Kaldis, E., see Böttger, G., **275**, 198
Kambara, M., M. Nakamura, Y. Shiohara and T. Umeda, Quasi-binary phase diagram of $Nd_4Ba_2Cu_2O_{10}$–$Ba_3Cu_5O_8$ system, **275**, 127
Kanamaru, F., see Er, G., **275**, 110
Kawano, K. and A. Oota, A study on self-field distribution in Ag-sheathed $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ monofilamentary tape using a scanning Hall sensor magnetometry, **275**, 1
Khalil, A.E., Fluxon thermal motion and non-linear diffusion in high-temperature superconductors, **275**, 317
Kikkawa, S., see Er, G., **275**, 110
Kim, J.H. and D. Youm, Growth of textured *c*-axis normal $Y_1Ba_2Cu_3O_{7-\delta}$ thin films on yttria-stabilized zirconia substrates with crystalline axes tilted with respect to the surfaces, **275**, 273
Kobayashi, K. and J. Yoshida, Thermogravimetric analyses of hydrogen doped $La_{2-x}Sr_xCuO_4$ and effects of hydrogen atoms on superconductivity, **275**, 74
Koshizuka, N., see Kuroda, K., **275**, 311
Kozyrev, A.B., see Meerovich, V., **275**, 119
Kroeger, D.M., see He, Q., **275**, 155
Kroeger, D.M., see List, F.A., **275**, 220
Kroeger, D.M., see Paranthaman, M., **275**, 266
Kugeler, O., see Schmitz, G.J., **275**, 205
Kuroda, K., K. Abe, S. Segawa, J.-G. Wen, H. Unoki and N. Koshizuka, Field-induced pinning effect depending on the composition of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ single crystals grown by the TSFZ method, **275**, 311
Kushnir, V.N., C. Coccorese, S.L. Prischepa and M. Salvato, Flux creep–flux flow crossover in disordered superconductors, **275**, 211

Lang, Th., D. Buhl and L.J. Gauckler, Melting of Bi-2212 under controlled oxygen partial pressures with silver, **275**, 284
Lee, D.F., see He, Q., **275**, 155
Lee, D.F., see Paranthaman, M., **275**, 266
Levin, K., see Liu, D.Z., **275**, 81
Li, S., M. Bredehöft, Q.Y. Hu, H.K. Liu, S.X. Dou and W. Gao, The effect of annealing and mechanical deformation on the grain alignment of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{8+x}$ superconductors, **275**, 259
List, F.A., D.M. Kroeger and V. Selvamanickam, Hysteresis of the transport critical current of (Tl,Pb)–(Sr,Ba)–Ca–Cu–O and Bi–Sr–Ca–Cu–O conductors: effects of temperature and magnetic field, **275**, 220
List, F.A., see He, Q., **275**, 155
List, F.A., see Paranthaman, M., **275**, 266
Liu, D.Z. and K. Levin, Long range Coulomb effects in the cuprates: a possible alternative route to D-wave superconductivity, **275**, 81
Liu, H.K., see Horvat, J., **275**, 327
Liu, H.K., see Li, S., **275**, 259
Liu, R.S., see Wei, J.C., **275**, 135

Macht, M.P., see Gerber, A., **275**, 333
Mahdi, A.E., see Hughes, T., **275**, 19
Majewski, P., A. Sotelo, H. Szillat, S. Kaesche and F. Aldinger, Phase diagram studies in the system Ag-"$Bi_2Sr_2CaCu_2O_8$", **275**, 47
Majewski, P., see Müller, C., **275**, 337
Marks, T.J., see Zhang, X.F., **275**, 146
Martin, P.M., see Paranthaman, M., **275**, 266
Marucco, J.-F., V. Viallet, A. Bertinotti, D. Colson and A. Forget, Point defects, thermodynamic and superconducting properties of the non-stoichiometric $HgBa_2CuO_{4+\delta}$ phase, **275**, 12
McNeely, R.J., see Zhang, X.F., **275**, 146
Meerovich, V., V. Sokolovsky, G.E. Shter, G.S. Grader, A.B. Kozyrev, V.N. Osadchy and E.K. Holmann, Self-oscillations in circuits with high-T_c superconducting current limiters, **275**, 119
Mercandalli, L.M., see García López, J., **275**, 65
Miller, D.J., see Zhang, X.F., **275**, 146
Milner, A., see Gerber, A., **275**, 333
Müller, C., P. Majewski, G. Thurn and F. Aldinger, Processing effects on mechanical and superconducting properties of Bi2201 and Bi2212 glass ceramics, **275**, 337

Nakamura, M., see Kambara, M., **275**, 127
Navau, C., see Sanchez, A., **275**, 322
Norton, D.P., see He, Q., **275**, 155
Norton, D.P., see Paranthaman, M., **275**, 266

Ogale, S.B., see Srinivas, S., **275**, 346
Oota, A., see Kawano, K., **275**, 1
Osadchy, V.N., see Meerovich, V., **275**, 119

Paranthaman, M., A. Goyal, F.A. List, E.D. Specht, D.F. Lee, P.M. Martin, Q. He, D.K. Christen, D.P. Norton, J.D. Budai and D.M. Kroeger, Growth of biaxially textured buffer layers on rolled-Ni substrates by electron beam evaporation, **275**, 266

Paranthaman, M., see He, Q., **275**, 155
Piqueras, J., see Díaz-Guerra, C., **275**, 37
Porcar, L., D. Bourgault, J.M. Barbut, M. Barrault, P. Germi and R. Tournier, High critical transport currents of melt textured YBCO up to 6000 A, **275**, 293
Pourtier, F., see Grévin, B., **275**, 238
Prabhakaran, D., see Thamizhavel, A., **275**, 279
Prischepa, S.L., see Kushnir, V.N., **275**, 211
Putilin, S.N., see Aksenov, V.L., **275**, 87

Reisner, G.M., see Yossefov, P., **275**, 299
Revaz, B., see Junod, A., **275**, 245
Rosenberg, Yu., see Gerber, A., **275**, 333
Roulin, M., see Junod, A., **275**, 245
Rubstein, A., see Gerber, A., **275**, 333

Salvato, M., see Kushnir, V.N., **275**, 211
Sanchez, A. and C. Navau, Magnetic levitation of thin superconducting disks, **275**, 322
Sardella, E., Coexistence of different types of vortex lines in anisotropic superconductors, **275**, 231
Savenko, B.N., see Aksenov, V.L., **275**, 87
Schmatz, U., see Grévin, B., **275**, 238
Schmitz, G.J. and O. Kugeler, Isothermal production of uniaxially textured YBCO superconductors using constitutional gradients, **275**, 205
Schwer, H., see Böttger, G., **275**, 198
Scott, B.A., see Wang, Y., **275**, 52
Segawa, S., see Kuroda, K., **275**, 311
Sekar, C., A. Thamizhavel and C. Subramanian, Effect of degradation on surface and mechanical properties of C_{60} and C_{60}/C_{70} single crystals, **275**, 193
Selke, W., see Haugerud, H., **275**, 93
Selvamanickam, V., see List, F.A., **275**, 220
Sheptyakov, D.V., see Aksenov, V.L., **275**, 87
Shilshtein, S.S., see Aksenov, V.L., **275**, 87
Shiohara, Y., see Kambara, M., **275**, 127
Shter, G.E., see Meerovich, V., **275**, 119
Shter, G.E., see Yossefov, P., **275**, 299
Siejka, J., see García López, J., **275**, 65
Sokolovsky, V., see Meerovich, V., **275**, 119
Somenkov, V.A., see Aksenov, V.L., **275**, 87
Sotelo, A., see Majewski, P., **275**, 47
Specht, E.D., see He, Q., **275**, 155
Specht, E.D., see Paranthaman, M., **275**, 266
Srinivas, S., A.K. Bhatnagar, S.B. Ogale and R.D. Vispute, Studies on $YBa_2Cu_4O_8$ thin films, **275**, 346
Stepanov, V.A., see Gonnelli, R.S., **275**, 162
Studebaker, D.L., see Zhang, X.F., **275**, 146
Subramanian, C., see Sekar, C., **275**, 193
Subramanian, C., see Thamizhavel, A., **275**, 279
Sung, Y.S., see Zhang, X.F., **275**, 146
Szillat, H., see Majewski, P., **275**, 47

Taillefer, L., see Ghamlouch, H., **275**, 141
Takahashi, M., see Er, G., **275**, 110
Tanabe, K., see Wu, X.-J., **275**, 179
Tatsuki, T., see Wu, X.-J., **275**, 179
Teodorescu, V., see García López, J., **275**, 65
Thamizhavel, A., D. Prabhakaran, R. Jayavel and C. Subramanian, Growth and characterization of superconducting $Bi_2Sr_2Ca_{(1-x)}Ce_xCu_2O_{8+\delta}$ single crystals, **275**, 279
Thamizhavel, A., see Sekar, C., **275**, 193
Thurn, G., see Müller, C., **275**, 337
Tokiwa-Yamamoto, A., see Wu, X.-J., **275**, 179
Tournier, R., see Porcar, L., **275**, 293

Ugolkova, E., see Ivanov, V., **275**, 26
Uimin, G., see Haugerud, H., **275**, 93
Umeda, T., see Kambara, M., **275**, 127
Ummarino, G.A., see Gonnelli, R.S., **275**, 162
Unoki, H., see Kuroda, K., **275**, 311

Viallet, V., see Marucco, J.-F., **275**, 12
Villégier, J.C., see Grévin, B., **275**, 238
Vispute, R.D., see Srinivas, S., **275**, 346
Voronel, A., see Gerber, A., **275**, 333

Walker, D., see Wang, Y., **275**, 52
Walker, E., see Junod, A., **275**, 245
Wang, W.G., see Horvat, J., **275**, 327
Wang, Y., B.A. Scott, B.-H. Chen and D. Walker, The role of contamination in Sr–Cu–O reactions at high pressure, **275**, 52
Wei, J.C., J.L. Chen, R.S. Liu and T.J. Yang, Interaction between a cylindrical superconducting impurity and a vortex in a type-II superconductor, **275**, 135
Wen, J.-G., see Kuroda, K., **275**, 311
Wu, X.-J., A. Tokiwa-Yamamoto, T. Tatsuki, S. Adachi and K. Tanabe, Transmission electron microscopy study of new intergrowth phases in Hg–Tl–Ba–Ca–Cu–O compounds, **275**, 179

Yakushi, K., see Ivanov, V., **275**, 26
Yang, T.J., see Wei, J.C., **275**, 135
Yang, Y., see Hughes, T., **275**, 19
Yeshurun, Y., see Yossefov, P., **275**, 299
Yoshida, J., see Kobayashi, K., **275**, 74
Yossefov, P., G.E. Shter, G.M. Reisner, A. Friedman, Y. Yeshurun and G.S. Grader, Relationship of solubility parameter (x), powder properties and phase formation in the $Nd_{1+x}Ba_{2-x}Cu_3O_{6.5+x/2+\delta}$ system, **275**, 299
Youm, D., see Kim, J.H., **275**, 273

Zhang, X.F., Y.S. Sung, D.J. Miller, B.J. Hinds, R.J. McNeely, D.L. Studebaker and T.J. Marks, New structural aspects of $Tl_2Ba_2CaCu_2O_y$ epitaxial thin films grown by MOCVD on $LaAlO_3$, **275**, 146

ELSEVIER

Physica C 275 (1997) 356–357

PHYSICA C

Analytic Subject Index to Volume 275

ASYNNNI model 93
Ac losses
–of PbBi-2223 tapes 19
Ac-susceptibility
–of $Bi_2Sr_2Ca_{(1-x)}Ce_xCu_2O_{8+\delta}$ single crystals 279
–of $La_{2-x}Sr_xCuO_4$ 74
Annealing conditions
–for Bi-Sr-Ca-Cu-O 337
Annealing
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{8+x}$ 259
–of $YBa_2Cu_4O_8$ thin films 346
Applications of high-T_c superconductors 155, 322

Band structure
–of κ-ET_2X salts 26

Ca doping
–in $YBa_2Cu_3O_{7-\delta}$ single crystals 198
Cathodoluminescence microscopy
–of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals 37
Contamination
–in Sr_2CuO_3 52
Coucomb interactions 81
Critical current density 211
–of $(Tl_{0.5}Pb_{0.5})(Sr_{0.8}Ba_{0.2})_2Ca_2Cu_3O_x$ 220
–of Ag/Bi-2223 tapes 327
–of $Bi_2Sr_2CaCu_2O_x$ 220
–of $YBa_2Cu_4O_8$ thin films 346
Critical current
–of PbBi-2223 tapes 19
Crystallization
–of Bi-Sr-Ca-Cu-O 337
Cu-O chains
–in $REBa_2Cu_3O_{6+x}$ 93
CuO_2 plane
–in $(Sr_{1-y}Ca_y)_{1-x}La_xCuO_2$ 110

D-wave superconductivity 81
Defect structures
–of $HgBa_2CuO_{4+\delta}$ 12
Deformation
–of Bi-Sr-Ca-Cu-O 337
Degradation
–of C_{60} crystals 193
–of C_{60}/C_{70} mixed crystals 193
Density of states
–of $Bi_2Sr_2CaCu_2O_{8+x}$ single-crystal break junctions 162

Electrical resistivity
–of $Zr_{41.2}Ti_{13.8}Cu_{12.5}Ni_{10}Be_{22.5}$ 333
Electron-phonon coupling 162
Electronic structure
–of κ-ET_2X salts 26
Eliashberg equations 162
Emery model 93
Emission bands
–of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals 37
Energy gap 26

Flux lattice
–in $YBa_2Cu_3O_7$ 245
Flux pinning
–in Ag/Bi-2223 tapes 327
Flux-pinning
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ single crystals 311
Free energy 135, 231

Glass ceramics 337
Grain alignment (texturing) 155
Grain alignment
–in textured YBCO 205
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{8+x}$ 259
Grain boundaries 220
Grain connectivity
–in Ag/Bi-2223 tapes 327
Granular superconductivity 220

High pressure effect
–on $HgBa_2CuO_{4+\delta}$ 87
Hubbard Hamiltonian 26
Hubbard model 81
Hydrogen doping
–in $La_{2-x}Sr_xCuO_4$ 74
Inclined vortex lines 231
Infinite-layer 110
Intergrowth phases
–in Hg-Tl-Ba-Ca-Cu-O 179
Isothermal production
–of textured YBCO 205

Laser thickness 266
Levitation force 322
Liquidus line 127
Local structure
–of $(Sr_{1-y}Ca_y)_{1-x}La_xCuO_2$ 110

Magnetization relaxation
–in $YBa_2Cu_3O_7$ thin films 317
Magnetization 322
–of $YBa_2Cu_3O_{7-\delta}$ thin films 65
Mechanical properties
–of C_{60} crystals 193
–of C_{60}/C_{70} mixed crystals 193
Melt zone processing
–of YBCO 293
Melting line
–of $YBa_2Cu_3O_7$ 245
Melting
–of $Bi_2Sr_2CaCu_2O_x$ 284
Metallic glass 333
Micro characterization
–of $Bi_2Sr_2CaCu_2O_{8+x}$ single crystals 37
Microstructure
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_{8+x}$ 259
–of $Tl_2Ba_2CaCu_2O_y$ thin film 146
–of $Y_1Ba_2Cu_3O_{7-\delta}$ thin films 273
Multilayers 155

NMR
–on $YBa_2Cu_3O_7$ thin films 317
NQR
–of $YBa_2Cu_3O_{6+x}$ thin films 238
Nernst effect
–of $YBa_2Cu_3O_{7-\delta}$ 141

Neutron diffraction
–of $HgBa_2CuO_{4+\delta}$ 87
Non-linear diffusion 317

Oxygen ions 110
Oxygen stoichiometry
–in $HgBa_2CuO_{4+\delta}$ 12
–of $Bi_2Sr_2CaCu_2O_x$ 284
–of $La_{2-x}Sr_xCuO_4$ 74
–of $YBa_2Cu_3O_{6+x}$ thin films 238

Parallel vortex lines 231
Peak-effect
–in $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ single crystals 311
Penetration depth 220
Peritectic temperature 127
Phase diagram
–of Ag-"$Bi_2Sr_2CaCu_2O_8$" 47
–of $HgBa_2CuO_{4+\delta}$ 12
–of $Nd_4Ba_2Cu_2O_{10}$-$Ba_3Cu_5O_8$ 127
Phase formation 299
Phonon mechanism 162
Pinning energy 135, 211

Rolled-Ni substrates 266

Scanning Hall sensor 1
Seebeck effect
–of $YBa_2Cu_3O_{7-\delta}$ 141
Self field distribution
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tape 1
Self oscillations 119
Self-field 19
Silver additions
–to $Bi_2Sr_2CaCu_2O_x$ 284
Solubility parameter
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{6.5+x/2+\delta}$ 299
Specific heat
–of $YBa_2Cu_3O_7$ 245
Statistical distribution 211
Statistical mechanics 93
Structural model 179
Structure
–of $Bi_2Sr_2Ca_{(1-x)}Ce_xCu_2O_{8+\delta}$ single crystals 279
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{6.5+x/2+\delta}$ 299
–of Sr_2CuO_3 52
–of $YBa_2Cu_3O_{7-\delta}$ single crystals 198
–of $YBa_2Cu_3O_{7-\delta}$ thin films 65
–of $YBa_2Cu_4O_8$ thin films 346
–on $HgBa_2CuO_{4+\delta}$ 87
Substrate tilting 273
Superconducting current limiters 119
Superconducting impurity 135
Superconducting symmetry 81
Synthesis of buffer layers 266
Synthesis
–of $Bi_2Sr_2Ca_{(1-x)}Ce_xCu_2O_{8+\delta}$ single crystals 279
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{6.5+x/2+\delta}$ 299
–of $Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ single crystals 311
–of $Tl_2Ba_2CaCu_2O_y$ thin film 146
–of $Y_1Ba_2Cu_3O_{7-\delta}$ thin films 273
–of $YBa_2Cu_3O_{6+x}$ thin films 238
–of $YBa_2Cu_3O_{7-\delta}$ thin films 65
–of $YBa_2Cu_4O_8$ thin films 346
–of textured YBCO 205

Texturing
–of YBCO 293
Thin films 155
Tl-deficiency
–in $Tl_2Ba_2CaCu_2O_y$ thin film 146
Transmission electron microscopy
–of Hg-Tl-Ba-Ca-Cu-O 179
Transport current
–of YBCO 293
Trapping currents
–of $(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tape 1
Traveling-solvent floating-zone 311
Twin boundaries 141

Upper critical field
–of $Zr_{41.2}Ti_{13.8}Cu_{12.5}Ni_{10}Be_{22.5}$ 333

Vortex interaction 135
Vortex movement
–in $YBa_2Cu_3O_{7-\delta}$ 141

X-ray diffraction
–of Ag-"$Bi_2Sr_2CaCu_2O_8$" 47
–of Sr_2CuO_3 52
–of $Y_1Ba_2Cu_3O_{7-\delta}$ thin films 273
–on $YBa_2Cu_3O_{7-\delta}$ single crystals 198

ELSEVIER

Physica C 275 (1997) 358

PHYSICA C

Materials Index to Volume 275

Ag-"$Bi_2Sr_2CaCu_2O_8$"
-phase diagram 47
-x-ray diffraction 47
Ag/Bi-2223 tapes
-critical current density 327
-flux pinning 327
-grain connectivity 327

$(Bi,Pb)_2Sr_2Ca_2Cu_3O_x$ tape
-self field distribution 1
-trapping currents 1
$(Bi,Pb)_2Sr_2Ca_2Cu_3O_{8+x}$
-annealing 259
-grain alignment 259
-microstructure 259
Bi-Sr-Ca-Cu-O
-annealing conditions 337
-crystallization 337
-deformation 337
$Bi_2Sr_2Ca_{(1-x)}Ce_xCu_2O_{8+\delta}$ single crystals
-ac-susceptibility 279
-structure 279
-synthesis 279
$Bi_2Sr_2CaCu_2O_x$
-critical current density 220
-melting 284
-oxygen stoichiometry 284
-silver additions 284
$Bi_2Sr_2CaCu_2O_{8+x}$ single crystals
-cathodoluminescence microscopy 37
-emission bands 37
-micro characterization 37
$Bi_2Sr_2CaCu_2O_{8+x}$ single-crystal break junctions
-density of states 162

C_{60} crystals
-degradation 193
-mechanical properties 193
C_{60}/C_{70} mixed crystals
-degradation 193
-mechanical properties 193

κ-ET_2X salts
-band structure 26
-electronic structure 26

Hg-Tl-Ba-Ca-Cu-O
-intergrowth phases 179
-transmission electron microscopy 179
$HgBa_2CuO_{4+\delta}$
-defect structures 12
-high pressure effect 87
-neutron diffraction 87
-oxygen stoichiometry 12
-phase diagram 12
-structure 87

$La_{2-x}Sr_xCuO_4$
-ac-susceptibility 74
-hydrogen doping 74
-oxygen stoichiometry 74

$Nd_{1+x}Ba_{2-x}Cu_3O_{6.5+x/2+\delta}$
-solubility parameter 299
-structure 299
-synthesis 299
$Nd_{1+x}Ba_{2-x}Cu_3O_{7-\delta}$ single crystals
-flux-pinning 311
-peak-effect 311
-synthesis 311
$Nd_4Ba_2Cu_2O_{10}$-$Ba_3Cu_5O_8$
-phase diagram 127

PbBi-2223 tapes
-ac losses 19
-critical current 19

$REBa_2Cu_3O_{6+x}$
-cu-O chains 93

$(Sr_{1-y}Ca_y)_{1-x}La_xCuO_2$
-CuO_2 plane 110
-local structure 110
Sr_2CuO_3
-contamination 52
-structure 52
-x-ray diffraction 52

textured YBCO
-grain alignment 205
-isothermal production 205
-synthesis 205
$Tl_2Ba_2CaCu_2O_y$ thin film
-microstructure 146
-synthesis 146
-tl-deficiency 146
$(Tl_{0.5}Pb_{0.5})(Sr_{0.8}Ba_{0.2})_2Ca_2Cu_3O_x$
-critical current density 220

$Y_1Ba_2Cu_3O_{7-\delta}$ thin films
-microstructure 273
-synthesis 273
-x-ray diffraction 273
YBCO
-melt zone processing 293
-texturing 293
-transport current 293
$YBa_2Cu_3O_{6+x}$ thin films
-nQR 238
-oxygen stoichiometry 238
-synthesis 238
$YBa_2Cu_3O_7$ thin films
-magnetization relaxation 317
-nMR 317
$YBa_2Cu_3O_7$
-flux lattice 245
-melting line 245
-specific heat 245
$YBa_2Cu_3O_{7-\delta}$ single crystals
-ca doping 198
-structure 198
-x-ray diffraction 198
$YBa_2Cu_3O_{7-\delta}$ thin films
-magnetization 65
-structure 65
-synthesis 65
$YBa_2Cu_3O_{7-\delta}$
-nernst effect 141
-seebeck effect 141
-vortex movement 141
$YBa_2Cu_4O_8$ thin films
-annealing 346
-critical current density 346
-structure 346
-synthesis 346

$Zr_{41.2}Ti_{13.8}Cu_{12.5}Ni_{10}Be_{22.5}$
-electrical resistivity 333
-upper critical field 333